

Version: 1.3

Revision Date: 08/11/2020

This material is to be used for research purposes only under the supervision of a technically qualified individual. The toxicological properties may have not been completely characterized. Please determine your responsibilities under your local regulations.

1. Identification of the substance or mixture and of the supplier

Identification

Product Name: ULTIMATE Grease

SKU: OPT-UG

Recommended use and restriction on use

Recommended use: Industrial grease

Restrictions on use: This Product must not be used in applications other than recommended in Section 1

without making the advice from supplier/manufactureer.

Details of the supplier of the safety data sheet

Company Name: Opti-Lube Inc

Address: 1646 W Business Park Drive, Suite B

Orem, UT 84058

USA

Telephone: 801-491-3717

Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL (+1) 801-850-8553, OR WITHIN THE USA 801-491-3717

Hazard(s) identification

Classification of the substance or mixture: The product is not classified according to the Globally Harmonized System (GHS).

OSHA Hazard Communication Standard: This material is not considered hazardous in accourdance with OSHA HazCom 2012.

29 CFR 1910.1200.

Label Elements No Signifiacnt hazard as per GHS.

Other Hazards:

Health Hazards: Not expected to be a health hazard when used under normal conditions. Prolonged or

repeated skin contact without proper cleaning may clog the skin pores resulting disorders like acne/ folliculitis. Used grease may contain harmful impurities/ harmful

extraneous substances.

Saftey hazards: Not classified as flammable but will burn.

Environmental hazard: Not classified as environmental hazard under GHS criteria.

Precautionary Statement:

Prevention: Wear protective gloves while handling. Wear eye and face protection. Wash hands

thoroughly after handling.

Response: If on skin, wash with plenty of soap and water. Remove contaminated cloth and wash



Version: 1.3

Revision Date: 08/11/2020

thoroughly before use. If skin irritation occurs, get medical advice. If in eyes, wash with water for several minutes, in case of contact lenses, remove and wash with plenty

water. In case of irritation, get medical attention.

Storage: Store the product in well-ventilated area. Keep the container straight lid upside. Do not

lay down upside down or do not keep container horizontally. This product has natural

tendency to squeeze oil if not kept properly.

Disposal: Take expert advice of local regulatory agency for disposing this product.

Hazards not otherwise classified (HNOC):

None as classified under 29 CFR 1900.1200.

3. Composition/Information on Ingredients

This material is defined as mixture and has no known hazards under GHS classification.

Additional information: As per 29 CFR 1910.1200 paragraph (i), formulation is considered as trade secret and

therefore specific chemical names and their percentages of components used have not been disclosed. The details about their specific chemical names and their percentages may be provided on request to health professionals, authorized representatives of regulatory authority, employees concerned in accordance with

applicable provisions of this paragraph.

4. First-aid Measures

Description of first aid measures:

General Information:

Inhalation: Not expected to be health hazard if used under normal conditions. Under normal

conditions of intended use, this material is not expected to be inhalation hazard. If some symptom exist, remove to fresh air. If not breathing, give artificial respiration.

Get medical attention.

Skin Contact: Remove contaminated clothes. Flush exposed area with plenty of

water followed by washing by soap, if available. If persistent

irritation occurs, obtain medical attention. If product is injected into or under the skin due to any reason, the victim, regardless of size or appearance of wound, victim should be brought immediately to medical attention for emergency surgical needs. Though the initial symptoms due to high pressure injection may be minimal /absent,

early surgical treatment may significantly reduce the extent of injury.

Eye Contact: Immediately flush with large quantities of cool water for at least 15 minutes. Get

medical attention.

Ingestion: In general no treatment is necessary unless large quantities are swallowed, however,

it's advisable to take medical attention. Do not induce vomiting unless directed by medical personnel. Do not give anything by mouth by an unconscious person.

Protection of first-aiders: When administering the first aid, ensure that you are wearing the appropriate personal

protective equipment according to the incident, injury and surroundings.



Version: 1.3

Revision Date: 08/11/2020

5. Fire-fighting measures

Extinguishing Media:

Suitable Extinguishing Media: Water Spray (fog), dry chemical, foam, or carbon dioxide, sand to extinguish flames.

Unsuitable extinguishing

media:

Water stream may splash burning liquid and spread fire.

Specific hazard arising from the substance or mixture:

Hazardous combustion product may include a complex mixture of airborne solid and liquid particulates and gases (smoke), carbon monoxide, unidentified inorganic and

organic compounds.

Advice for firefighters, Special protective equipment and precautions for firefighters: Proper protective equipment include chemical resistant gloves to be worn, chemical resistant suit is recommended when large contact with spill product is expected. Self-contained breathing apparatus (SCBA) must be worn when approaching a fire in confined area. Select the fire fighters clothing approved by relevant standard.

6. Accidental release measures

Protective Precautions, Protective Equipment and Emergency Procedures: Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch and walk through spill area. Do not touch damaged container or spilled material unless wearing appropriate protective clothing/equipment. Ventilate

the closed area.

Emergency procedures:

Isolate the spill / leak area in all directions for about 50 meters (150 ft) for liquids and about 25 meters (75 ft.) for solids and semi-solids. Eliminate all ignition sources (no smoking, flares, sparks / flames in close vicinity). Keep unauthorize person away and ventilate closed space before entering.

Environmental Procedures:

Use appropriate measures for containment of spilled material to the environment. Prevent from entering/ spreading to drain, water, river, ditches by using sand, earth, floor dryers or other appropriate barriers.

Methods and material for containment and cleanup:

Shovel into suitable properly marked container for disposal or reclamation in accordance with local regulations.

References to other sections:

Refer to section 8 – exposure control / personal protection and section 13- disposal considerations.

7. Handling and Storage

General Precautions:

Store in well-ventilated area, if risk on vapor inhalation is there. Use the information in this data sheet as input for risk management arising due to local conditions which help to manage safe handling of this product.

Precautions for Safe Handling:

Avoid prolonged and repeated contact with skin. Avoid inhaling the vapors/ mist. When handling the drums, kegs, pails etc., proper safety shoes, and other protective clothes, safety glasses etc. should be worn. Dispose appropriately any contaminated

rags/material as per prevailing local allowable practices. Keep containers in closely

tight and, cool and well ventilated areas.

Conditions for Safe Storage,

Including Any Incompatibilities:

Keep containers tightly close, well-ventilated areas but covered, avoiding contact with rain or other water ingress possibilities. Keep the storage place cool preferably <120° F/<50° C. Higher temperature may create pressure buildup inside container and



Version: 1.3

Revision Date: 08/11/2020

chances of container busting or leakage may occur under aggravated conditions.

Keep away from other oxidizing and incompatible materials.

Specific End Use(s): This material should not be used for any other purpose than the intended use as per

section 1 without the expert advice.

8. Exposure Controls / Personal Protection

Control Parameters:

Components with Limit Values That Require Monitoring at the Workplace:

Material	Source	Туре	PPM	Mg/m3	Notation
Mineral Oil Mist	TWA(mist), ACGIH	Ceiling		5.0 mg/m3	

Additional Information: Due to semi-solid nature of the product, generation of mist and dusts is unlikely to

occur.

Biological Exposure Index

(BEI):

No biological limit allocated.

PNEC Related Information: Data not available

Monitoring Methods: Monitoring of the concentration of substances in the breathing zone of workers or in

general workplace may be required to confirm the compliance with local governing

authority.

Enginerring

Measures/Controls:

Adequate ventilation systems may be needed to control concentrations of airborne

contaminants above permissible threshold applicable limits.

Personal Protective

Equipment:

Respiratory: In case of insufficient ventilation, use suitable respiratory equipment.

Eye/Face: Wear safety goggles.

Skin/Body: Wear safety shoes and protective gloves.

Environemental Exposure

Controls:

Minimize release to the environment. Follow best practices for site management and

disposal of waste as per local regulations.

9. Physical and chemical properties

Information on Basic Physical and Chemical Properties:

Appearance:

Form: Semi-Solid
Appearance (Color): Green

Odor: Slightly hydrocarbon
Odor Threshold: No data available.

General Properties:



Version: 1.3

Revision Date: 08/11/2020

Boiling Point:

No data available.

PH:

Not apllicable.

Specific Gravity (15 ° C): 0.87, 7.506 (lbs/gal)

Flash Point, COC, ° F/° C: 0.027 kPa (0.20252 mm Hg) (20 °C). (calculated)

Vapor Density (vs. Air = 1): 400/204

Uppper/Lower Flammability

Limits:

No data available.

Auto-Ingnition Temperature: No data available.

Flammability: No data available.

VOC, % wt., ASTM D-972:

Vapor Pressure at Ambient

Temp.:

<0.13 kPa (<1 mmHg)

Vapor Density (air=1): <1

Explosive Properties: Not classified

Oxidizing Properties: No data available.

Other Information: Risk of explosion if heated under confinement.

Electrical Conductivity: Though no data available, this material is not expected to be a static accumulator.

10. Stability and reactivity

Reactivity: No reactivity is expected under normal conditions of intended use. However, under

high temperature or adverse operating conditions thermal / chemical decomposition of

the product may be possible.

Chemical Stability: No hazardous reaction is expected under normal conditions of temperature and

pressure.

Possibility of Hazardous

Reactions:

Hazardous polymerization is not expected. Reacts with strong oxidizing agents.

Conditions to Avoid: Extreme temperature and direct sunlight / heat /flame.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition

Products:

Hazardous decomposition is not expected to form under normal conditions of storage.

11. Toxicological Information

Information on likely routes of exposure:

Basis of Assessment: Information given hereby is based on the components and the toxicology of similar

products and the data indicated here are representative of mainly base oil which is

present in majority.

Acute Oral Toxicity: Expected to be low toxicity; LD 50 (rat) > 5000 mg/kg (literature)

Acute Dermal Toxicity: Expected to be low toxicity; LD 50 (rat) > 3000 mg/kg (literature)

Acute Inhalation Toxicity: Not determind



Version: 1.3

Revision Date: 08/11/2020

Skin Corrosion/Irritation: Expected to be slightly irritating . prolonged/repeated contact with skin without

adequate cleaning may clog the pores of the skin, may result disorder such as oil

acne/folliculitis.

Serious Eye Damage/Irritaion: Not determined.

Aspiration Hazard: Not determined.

Germ Cell Mutagenicity: Not determined.

Carcinogenicity: Not considered to be carcinogenic as it contain severely hydrotreated mineral oils

which are reported to be noncarcinogenic in lab animal studies. The class of oils used

in making this product are not classified as carcinogenic by IARC.

Carcinogenic Classification

Highly refined base oil blend

(IP 346 < 3%)

ACGIH group A4; not classified as human carcinogen IARC 3; not classified as to

carcinogen to humans GHS / CLP, no carcinogenicity classification.

Based on raw material suppliers information/SDS, this material is not known to contain any chemical listed as carcinogen or suspected carcinogen by OSHA Hazard Communication Standard 29CFR 1910.1200, IARC, or the National Toxicology Program (NTP).

12. Ecological Information

Basis of assessment: Eco-toxicological data has not been determined specifically on this product. The

information given herewith are based on the information given on eco-toxicity of components and/or on similar products. the information given here are representative

of the product as whole and not as individual components.

Tocixity: Sparingly soluble mixture in aqueous media. Not toxic to fish but may coat gill

structure and cause suffocation if spilled. This product may cause gastrointestinal

distress in birds and mammals through ingestion.

Persistence and degradability: Expected to be not readily biodegradable. The major oil component expected to

biodegrade over period of 100-120 days in aerobic environment at temperature above 70 F (21 °C), however finished product contain component that may persist in the

environment.

Bioaccumulative potential: May contain component that bioaccumulate.

Mobility in soil: Product is semi-solid in nature in most conditions and may absorb to soil and may not

be mobile. It floats on water.

Other adverse effects: Product contain the components that have been classified non- volatile in nature and

therefore not expected to release to environment in significant quantities.

13. Disposal considerations

Waste Treatment Methods: Try to minimize the product waste by using best applicable practives. It is the

responsibility of the waster generator to evaluate the waste classification and appropriate disposal methodology in accordance with the applicable regulation.

Product Disposal: Do not dispose into environment, in drain or in river/ponds/water reservoirs.



Version: 1.3

Revision Date: 08/11/2020

Container Disposal: To be disposed in accordance with local prevailing and allowable regulations.

14. Transport Information

UN Number:

DOT, ADN, IMDG, IATA Not required.

UN proper shipping name

DOT, ADN, IMDG, IATA Not required.

Transport hazard class(es)

DOT, ADN, IMDG, IATA

Classes Not required.

Packing Group:

DOT, IMDG, IATA Not required.

Transport Hazard Class(es):

Not classified as hazardous poroduct for land, sea and air transport.

15. Regulatory Information

OSHA Hazard Communication Standard: This Material is not considered hazardous in accordance with OSHA HAzCom

2012,29 CFR 1910.1200.

TSCA (toxic substance control act) Inventory

List:

All ingredients are listed.

SARA Ext Haz. Sub.: This substance does not contain > 1.0 % of any chemical substance on SARA

extremely hazardous substance list.

SARA 313: This product doesn't contain > 1.0 % (> 0.1 % for carcinogenic substance) of any

chemical substances listed under SAR 313.

Classification: Immediate (acute) health hazard, delayed (chronic) health hazard

Components	Fire Hazard	Sudden Release of Pressure	Reactive	Acute Health Hazard	Delayed Health Hazard
Base Oil	No	No	No	No	Yes
Calcium Dodecyl Benzene Sulfonate	No	No	No	Yes	Yes

Cal Prop 65: This product doesn't intentionally contain any chemical known by state of California to

cause cancer and/or birth defects.

WHMIS: This product is not a controlled product.



Version: 1.3

Revision Date: 08/11/2020

Canadian NPRI: None of the components are listed CEPA toxic substance: none of the components

are listed.

Canadian (NDSL): All components are listed.

Ausralia Inventory (AICS): All components are listed or exempted

All components are listed Japan Inventory All components are listed or exempted. China Inventory (IECSC):

Korea Inventory: All components are listed.

Malaysia Inventory (EHS

Register):

Not determined.

New Zealand inventory of

Chemicals (NZIoC):

All components are listed or exempted.

Philipines Inventory (PICCS): All components are listed or exempted.

Taiwan Inventory (CSNN): Not determined.

16. Other information, including date of preparation or last revision

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

	NFPA 704	HMIS	KEY
Health	1	0	0= Minimal
Fire	1	1	1= slight
Reactivity	0	0	2= moderate
Specific	None	N/A	3= serious

Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carrige of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods.

DOT: US Department of Transportation. IATA: International Air Transport Association.

ACGIH: American Conference of Governmental Industrial Hygienists. **EINECS:** European Inventory of Existing Commercial Chemical Substances.

ELINCS: European List of Notified Chemical Substances.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

NFPA: National Fire Protection Association (USA). HMIS: Hazardous Materials Identification system (USA).

LC50: Lethal concentration, 50 percent.

LD50: Lethal dose, 50 percent.

*Data compared to the previos version altered.

Issue Date: 8/11/20 Version #: 1.3

Source of Information: Internal Company data and other publically available resources.

Further Information: Contact Supplier (see Section 1)



Version: 1.3

Revision Date: 08/11/2020

Disclaimer:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material of the results to be obtained from the use thereof. Compliance with all applicable feral, state, and local regulations remains the responsibility of the user.